

YOUR 2016 TUNDRA




Prototype vehicle shown. Production model may vary



Prototype vehicle shown. Production model may vary

EXTERIOR COLOR:



Sunset Bronze Mica

INTERIOR COLOR:



Black/Brown Leather

City MPG**

13



Highway MPG

17

Here's the 4x4 Tundra CrewMax 1794 5.7L V8 FFV **YOU BUILT**

Starting MSRP:* \$49,580.00
Tundra 1794 Edition

Delivery, Processing and Handling Fee: \$1,195.00

4x4 Tundra CrewMax 1794 5.7L V8 FFV

Options: \$0.00
Federal Emissions

Accessories: \$2,641.00
Spray-On Bedliner
Fender Flares
Vehicle Protection Package
Predator Step Tube
Remote Start

Total MSRP:*** \$53,416.00

* Manufacturer's Suggested Retail Price, excludes the Delivery, Processing and Handling Fee of \$925 for Cars, \$995 for Small/Medium Trucks (Sienna, RAV4, Highlander Gas, Highlander HV, 4Runner, Tacoma and Venza), \$1,195 for Large Trucks (Tundra), and \$1,195 for Large SUVs (Land Cruiser and Sequoia). (Historically, vehicle manufacturers and distributors have charged a separate fee for processing, handling and delivering vehicles to dealerships. Toyota's charge for these services is called the "Delivery, Processing and Handling Fee" and is based on the value of the processing, handling and delivery services Toyota provides as well as Toyota's overall pricing structure. Toyota may make a profit on the Delivery, Processing and Handling Fee.) Excludes taxes, license, title and available or regionally required equipment. The MSRP price is only valid in TX, OK, AR, MS, and OK. Actual dealer price will vary. ** 2014 EPA-estimated mileage. Actual mileage will vary. *** Manufacturer's Suggested Retail Price, includes the Delivery, Processing and Handling Fee. (Historically, vehicle manufacturers and distributors have charged a separate fee for processing, handling and delivering vehicles to dealerships. Toyota's charge for these services is called the "Delivery, Processing and Handling Fee" and is based on the value of the processing, handling and delivery services Toyota provides as well as Toyota's overall pricing structure. Toyota may make a profit on the Delivery, Processing and Handling Fee.) Excludes taxes, license, title and available or regionally required equipment. The Delivery, Processing and Handling Fee in AL, AR, FL, GA, LA, MS, NC, OK, SC and TX will be higher. Actual dealer price will vary.



**Let's
Go
Places**

Mechanical/Performance

Engine	5.7-Liter Aluminum i-FORCE V8 with DOHC 32-Valve cylinder heads and E85 Flex Fuel Vehicle (FFV) ¹ capability, Acoustic Control Induction System (ACIS), Dual Independent Variable Valve Timing with intelligence (Dual Independent VVT-i) and 4-2-1 tubular stainless steel exhaust manifold; 381 hp @ 5600 rpm; 401 lb.-ft. @ 3600 rpm
Ignition System	Electronic, with Toyota Direct Ignition (TDI)
Heavy-duty battery and heavy-duty alternator (5.7L V8 only)	S
Exhaust System	Standard stainless steel exhaust system
Emission rating	Ultra Low Emission Vehicle II (ULEV- II)
Transmission	6-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode and uphill/downhill shift logic (V8 models) (5.7L V8 models add TOW/HAUL Mode)
Drivetrain	4WDemand part-time 4WD with electronically controlled transfer case, Active Traction Control (A-TRAC) and Automatic Limited-Slip Differential (Auto LSD)
Suspension	Independent coil-spring high-mounted double-wishbone front suspension with stabilizer bar and low-pressure nitrogen gas-filled shock absorbers; live axle with trapezoidal multi-leaf rear suspension with staggered outboard-mounted low-pressure nitrogen gas-filled shock absorbers
Steering	Hydraulic power rack-and-pinion
Steering wheel turns, lock-to-lock	3.71
Turning circle diameter, curb to curb (ft.) (Standard Bed/Long Bed) (Short Bed on CrewMax)	44.0
Brakes	Power-assisted ventilated 13.9-in. front disc brakes with opposed 4-piston brake calipers; ventilated 13.6-in rear disc brakes, and Star Safety System™

Ratios

1st gear	3.33
2nd gear	1.96
3rd gear	1.35
4th gear	1.00
5th gear	0.73
6th gear	0.59
Reverse	3.06
Rear differential	4.30
4WD Transfer case (high/low range)	1.00/ 2.64

Exterior Dimensions (in.)

Overall height	76.2
Overall width	79.9
Overall length	228.9
Wheelbase	145.7
Track (front/rear)	67.9/67.9
Bed length	66.7
Bed height	22.2
5.5-ft. Short Bed	S
Bed Width (total/between wheelwells)	66.4/50.0

Interior Dimensions, front/rear (in.)

Head room	39.7/38.9
Hip room	62.6/60.4
Leg room	42.5/42.3
Shoulder room	65.7/65.5

Off-Highway

Ground clearance	10.4
Approach/departure angle (degrees)	
Standard Bed (5.5-ft. on CrewMax)	26.0/21.0, 16.0
Weights/Capacities	
Gross Vehicle Weight Rating (GVWR) (lb.)	7200
Base curb weight (lb.)	5960
Maximum payload (lb.) ²	1510
Standard fuel tank (gal.)	38
Seating capacity	5
Towing [tow]	
Tow Package: ³ Towing hitch receiver, 4.300 rear axle ratio, TOW/HAUL Mode switch, Integrated Trailer Brake Controller, ⁴ transmission fluid temperature gauge, supplemental engine oil cooler, supplemental transmission cooler, heavy-duty battery, 170-amp alternator and 7-pin connector	
Ring gear size, front/rear (in.)	8.7/10.5
Maximum towing capacity ³ (lb.) *4.6L V8 requires optional tow hitch receiver to tow more than 5,000 lbs.	9100
Wheels and Tires	
Tire Type	All-Season
Spare	Full-size mounted under body
Wheel and Tire Specifications	20-in. premium 6-spoke wheels with accented spokes and P275/55R20 tires
Mileage Estimates	
MPG (mpg city/highway/combined) ⁵	13/17/15

EXTERIOR

Multi-reflector halogen headlights with manual level control

Multi-reflector halogen headlights with manual level control and auto on/off feature

LED Daytime Running Lights (DRL)

Fog lights

Chrome grille and gunmetal gray lower front bumper with chrome endcaps

Chrome rear bumper

Deck rail system with four adjustable tie-down cleats

Deck rail and tailgate caps

Chrome heated power and auto-dimming outside mirrors with turn signal indicators, puddle lights and power-folding and memory feature

Power tilt/slide moonroof with sliding sunshade

Variable intermittent windshield wipers

Windshield wiper de-icer

High Solar Energy-Absorbing (HSEA) glass

Easy lower and lift tailgate

Front and rear mudguards

Front tow hooks (4x4)

Chrome and black engine badge (driver and front passenger door)

Chrome 4x4 badge (lower left portion of tailgate)

5.5-ft. Short Bed

Large fuel tank (38 gallon)

INTERIOR

Automatic dual zone climate control with dust and pollen filter and individual temperature settings for driver and front passenger

Integrated backup camera⁶

Entune™ Premium JBL® Audio with Integrated Navigation⁷ and App Suite⁸ — includes the Entune™ Multimedia Bundle⁹ (7-in. high-resolution touch-screen with split-screen display, AM/FM CD player with MP3/WMA playback capability, 12 JBL® speakers including subwoofer and amplifier, auxiliary audio jack, USB 2.0 port¹⁰ with iPod®¹¹ connectivity and control, advanced voice recognition,¹² hands-free phone capability, phone book access and music streaming¹³ via Bluetooth®¹⁴ wireless technology), Siri® Eyes Free,¹⁵ Entune® App Suite, HD Radio™,¹⁶ HD predictive traffic and Doppler weather overlay, AM/FM cache radio, SiriusXM® Satellite Radio¹⁷ with 3-mo. SiriusXM All Access complimentary trial, and Gracenote® album cover art, integrated backup camera⁶ display

Premium perforated leather-trimmed heated and ventilated front bucket seats with grade-identified backrests; 12-way power-adjustable driver's seat with 2-position memory function and power thigh and lumbar support; 6-way power-adjustable front passenger seat with power lumbar support

60/40 split fold-up rear seats

Cruise control

Leather-trimmed power tilt/telescopic 4-spoke steering wheel (with wood-grain-style accents - 1794 Edition only), memory function and audio, Bluetooth®¹⁴ hands-free phone controls, and center-console gated shift lever

Analog instrumentation with color-illuminated speedometer, tachometer, voltmeter, coolant temperature, fuel, and engine oil pressure gauges; 3.5-in. color Multi-Information Display with odometer and tripmeters; shift-position indicator

Power windows with driver and front passenger one-touch auto up/down, power door locks with shift-linked automatic lock/unlock feature and programmable auto door lock logic, and remote keyless entry system with lock, unlock and panic functions and one-touch auto start

Power vertical sliding rear window with defogger and privacy glass

Auto-dimming rearview mirror with compass and HomeLink®¹⁸ universal transceiver

Fixed center console with covered storage compartments, and second-row vents (front bucket seats only)

Two front 12V auxiliary power outlets (additional rear 12V auxiliary power outlet on Double Cab and CrewMax)

Front maplight (additional rear maplight on Double Cab and CrewMax)

Four front and two rear cup holders, four front and four rear bottle holders (three front cup holders on Platinum, 1794 Edition and TRD Pro)

SAFETY/CONVENIENCE

Star Safety System™ — includes Vehicle Stability Control (VSC)¹⁹, Traction Control (TRAC), Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD), Brake Assist (BA)²⁰ and Smart Stop Technology® (SST)²¹. At speeds greater than five miles per hour, when the accelerator is depressed first and the brakes are then applied firmly for longer than one-half second, Smart Stop Technology® is designed to help the driver bring the vehicle to a stop.

Driver and front outboard passenger Advanced Airbag System²²

Driver and front outboard passenger seat-mounted side airbags, driver and front passenger knee airbags and front and rear Roll-sensing Side Curtain Airbags (RSCA)²²

3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts

Driver and front passenger seatbelt pretensioners with force limiters

LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors on outboard rear seats and tether anchor on rear center seat

Child-protector rear door locks

Tire Pressure Monitor System (TPMS)²³

Front and rear parking assist sonar²⁴

SAFETY/CONVENIENCE (continued)

Trailer-Sway Control²⁵

Integrated Trailer Brake Controller⁴ with Multi-Information Display monitoring screen and trailer brake type, gain, and manual trailer brake output controls (5.7L V8 only)

Anti-theft system with alarm, Glass Breakage Sensor (GBS),²⁶ and engine immobilizer²⁷


Blind Spot Monitor (BSM)²⁸ and Rear Cross-Traffic Alert (RCTA)²⁹ and color-keyed rear bumper

ToyotaCare³⁰ featuring a no cost maintenance plan with roadside assistance³¹

Exterior



5 Inch Oval Black Tube Step
\$ 599



5 Inch Oval Chrome Step Tube
\$ 679



Ball Mount
\$ 79



Fender Flares
\$ 625



Pocketed Fender Flares
\$ 675



Predator Step Tube
\$ 689



Spray-On Bedliner
\$ 529



Vehicle Protection Package
\$ 299



Vehicle Protection Plus Package
\$ 399



Vehicle Protection Premium Package
\$ 499

Interior



Cargo Bed Light
\$ 259



Connectivity Kit
\$ 59



Remote Start
\$ 499

Warranties

Every Toyota Car, Truck and SUV is built to exceptional standards. And that's not idle boasting. We back it up with these Limited Warranty Coverages:

Basic: 36 months/36,000 miles (all components other than normal wear and maintenance items).

Hybrid-Related Component Coverage: Hybrid-related components for hybrid vehicles are covered for 8 years/100,000 miles. The HV battery may have longer coverage under emissions warranty. Refer to applicable Owner's Warranty Information booklet for details.

Powertrain: 60 months/60,000 miles (engine, transmission/transaxle, front-wheel drive, rear-wheel drive, seatbelts and airbags).

Rust-Through: 60 months/unlimited miles (corrosion perforation of sheet metal).

Emissions: Coverages vary under Federal and California regulations. Refer to applicable Owner's Warranty Information booklet for details.

Accessories: For accessories purchased at time of the new vehicle purchase, the Toyota Accessory Warranty coverage is in effect for 36 months or 36,000 miles (whichever comes first) from the vehicle's in-service date, which is the same coverage as the Basic coverage of the Toyota New Vehicle Limited Warranty.

For dealer-installed accessories purchased after the new vehicle purchase, the coverage is 12 months or 12,000 miles (whichever comes first) from the date the accessory was installed on the vehicle, or the remainder of the above 36 months or 36,000 miles Basic coverage from the vehicle's in-service date, whichever provides greater coverage, with the exception of car covers. Car covers are warranted for 12 months from the date of purchase and do not assume any coverage under the Toyota New Vehicle Limited Warranty.

For customers (non-dealer) installed accessories purchased after the new vehicle purchase, the coverage is 12 months or 12,000 miles (whichever comes first), from the purchase date of the accessory.

You may be eligible for transportation assistance if it's necessary that your vehicle be kept overnight for repairs covered under warranty. Please see your authorized Toyota dealership for further details.

For complete details about Toyota's warranties, please refer to the applicable Owner's Warranty Information booklet or see your Toyota dealer.

TOYOTA CARE



ToyotaCare

Covers normal factory scheduled service. Plan is 2 years or 25K miles, whichever comes first. The new Toyota vehicle cannot be part of a rental or commercial fleet, or a livery or taxi vehicle. See plan for complete coverage details. See participating Toyota dealer for details.

1. Flex Fuel Vehicles not available in every state. In states where available, all 4x4 5.7L V8 models are FFV. Flex Fuel Vehicles use E85, gasoline or a combination of both. Estimated mileage will vary. Consult your dealer for nearest E85 filling stations or see toyota.com for further details. 2. Payload is the GVWR minus curb weight and includes weight of occupants, optional equipment and cargo, limited by weight distribution. Payload is not the Vehicle Capacity Weight as defined by FMVSS 110, which will vary according to installed optional equipment. 3. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on the total weight of any cargo, occupants and available equipment. Calculated with new SAE J2807 method. 4. The Integrated Trailer Brake Controller is an electronic system that operates in tandem with a properly equipped trailer with an electric braking system. It is designed to help the driver maintain trailer control by increasing or reducing trailer braking based on trailer weight. It is not a substitute for safe towing practices. Factors including speed, road conditions and driver input can all affect trailer braking control. See Owner's Manual for details. 6. The backup camera does not provide a comprehensive view of the rear area of the vehicle. You should also look around outside your vehicle and use your mirrors to confirm rearward clearance. Cold weather will limit effectiveness and view may become cloudy. 7. Be sure to obey traffic regulations and maintain awareness of road and traffic conditions at all times. Availability and accuracy of the information provided by the navigation system is dependent upon many factors. Use common sense when relying on information provided. Services and programming subject to change. Services not available in every city or roadway; updates may be available at an additional cost from your dealer. See your Navigation System Owner's Manual for details. 8. Be sure to obey traffic regulations and maintain awareness of road and traffic conditions at all times. Apps/services vary by phone/carrier; functionality depends on many factors. Select apps use large amounts of data; you are responsible for charges. Apps and services subject to change. See toyota.com/entune for details. 9. Entune™ is a trademark of Toyota Motor Corporation. Always drive safely, obey traffic laws and focus on the road while driving. Services vary by phone/carrier. Functionality depends on many factors. Services subject to change. For enrollment and more details, see toyota.com/entune 10. May not be compatible with all mobile phones, MP3/WMA players and like models. 11. iPod® and iPhone® are a registered trademarks of Apple Inc. All rights reserved. 12. Advanced voice recognition capabilities vary by head unit. 13. Apps/services vary by phone/carrier; functionality depends on many factors. Select apps use large amounts of data; you are responsible for charges. Apps and services subject to change. See toyota.com/entune for details. 14. Concentrating on the road should always be your first priority while driving. Do not use the hands-free phone system if it will distract you. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Toyota is under license. A compatible Bluetooth®-enabled phone must first be paired. Phone performance depends on software, coverage and carrier. 15. Always drive safely, obey traffic laws and focus on the road while driving. Siri® is available only on iPhone® 4S or later, iPad® with Retina® display, iPad mini™, and iPod touch® (5th generation) and requires Internet access. Siri® is not available in all languages or all areas, and features vary by area. Some Siri® functionality and commands are not accessible in the vehicle. Data charges may apply. See apple.com and phone carrier for details. 16. Be sure to obey traffic regulations and maintain awareness of road and traffic conditions at all times. HD Radio™ Technology manufactured under license from iBiquity Digital Corporation U.S. and Foreign Patents. HD Radio™ and the HD, HD Radio, and "Arc" logos are proprietary trademarks of iBiquity Digital Corp. 17. SiriusXM services require a subscription after 3-month trial period. Subscriptions governed by SiriusXM Customer Agreement available at www.siriusxm.com. If you decide to continue your SiriusXM service at the end of your complimentary trial, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. 18. HomeLink® is a registered trademark of Johnson Controls, Inc. 19. Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details. 20. Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions. 21. Smart Stop Technology® operates only in the event of certain simultaneous brake and accelerator pedal applications. When engaged, the system will reduce power to help the brakes bring the vehicle to a stop. Factors including speed, road conditions and driver input can all impact stopping distance. Smart Stop Technology® is not a substitute for safe and attentive driving and does not guarantee instant stopping. Please see your Owner's Manual for further details. 22. All the airbag (AB) systems are Supplemental Restraint Systems. All ABs (if installed) are designed to inflate only under certain conditions and in certain types of severe collisions: frontal and knee ABs typically inflate in frontal collisions; side and side curtain ABs in side collisions; Roll-Sensing Curtain ABs at a severe tilt degree, roll or lateral G-force. In all other accidents, the ABs will not inflate. To decrease the risk of injury from an inflating AB, always wear seatbelts, sit upright in the middle of the seat as far back as possible and do not lean against the door. Do not put objects in front of an AB or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. The force of an inflating AB may cause serious injury or death. See your Owner's Manual for further information/warnings. 23. The Toyota Tire Pressure Monitor alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See your Owner's Manual for details. 24. Certain vehicle and environmental conditions may affect the ability of the sensors to detect an object. Even the shape and composition of the object can be a factor. Refer to the Owner's Manual for a list of conditions that could affect the system. 25. Trailer-Sway Control (TSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether TSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details. 26. Available for vehicle with factory security. 27. The engine immobilizer is a state-of-the-art anti-theft system. When you insert your key into the ignition switch or bring a Smart Key fob into the vehicle, the key transmits an electronic code to the vehicle. The engine will only start if the code in the transponder chip inside the key/fob matches the code in the vehicle's immobilizer. Because the transponder chip is embedded in the key/fob, it can be costly to replace. If you lose a key or fob, your Toyota dealer can help, or you can find a qualified independent locksmith to perform high-security key services by consulting your local Yellow Pages or by contacting www.aloa.org. Do not rely exclusively on the Blind Spot Monitor. Always look over your shoulder and use your turn signal. There are several limitations to the function, detection, range and clarity of the monitor. For a complete list of limitations and directions regarding use of the monitor, please see the Owner's Manual. 29. Do not rely exclusively on the Rear Cross-Traffic Alert system. Always look over your shoulder and use your mirrors to confirm rear clearance. There are limitations to the function, detection, range and clarity of the system. To learn more, see your Owner's Manual. 30. Covers normal factory scheduled service for two years or 25,000 miles, whichever comes first. See Toyota dealer for details and exclusions. Valid only in the continental U.S. and Alaska. 31. Does not include parts and fluids, except emergency fuel delivery.

Some vehicles are shown with available equipment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle.

All information in this eBrochure is based on data available at time of posting, is subject to change without notice and pertains specifically to continental U.S.A. vehicles only.

TOYOTA DEALERS IN YOUR AREA:

Vandergriff Toyota

Distance: 4.10 Miles:

1000 West I-20

Arlington TX, 76017

Phone: (817) 468-8696

<http://www.vandergrifftoyota.com>

[GET DIRECTIONS](#) to this dealer

